



E-ISSN : 2541-2019
P-ISSN : 2541-044X

Sinkron

INFORMATICS ENGINEERING JOURNALS & RESEARCH

Volume 7 | Number 3 | July 2022

Dipublikasi oleh :

POLITEKNIK
GANESHA
Medan

Vol. 7 No. 3 (2022): Article Research Volume 7 Number 3, July 2022

[Journal Cover Vol 7 Issue 3](#)

DOI: <https://doi.org/10.33395/sinkron.v7i3>

Published: 2022-07-01

Articles

Learning Fuzzy Neural Networks by Using Improved Conjugate Gradient Techniques

Hisham M. Khudhur, Khalil K. Abbo

767-776



DOI : [10.33395/sinkron.v7i3.11442](https://doi.org/10.33395/sinkron.v7i3.11442)

Citations  0

Abstract views: 169

Detection of Room Cleanliness Based on Digital Image Processing using SVM and NN Algorithm

Suparni suparni, Hilda Rachmi, Ahmad Al Kaafi

777-783



DOI : [10.33395/sinkron.v7i3.11479](https://doi.org/10.33395/sinkron.v7i3.11479)

Citations  0

Abstract views: 153

Arduino Implementation for Development Digital Capacitance Meters as Laboratory Measurement Devices

Denny Hardiyanto, Prabakti Endramawan, Ridho Nur Taufiqul Manan, Dyah Anggun Sartika

784-790



DOI : [10.33395/sinkron.v7i3.11456](https://doi.org/10.33395/sinkron.v7i3.11456)

 Citations  0

Abstract views: 120

Multiple Linear Regression Analysis on Factors that Influence Employees Work Motivation

Gracia Theofani, Eko Sedyono

791-798

 PDF

DOI : [10.33395/sinkron.v7i3.11453](https://doi.org/10.33395/sinkron.v7i3.11453)

 Citations  0

Abstract views: 136

Information System Audit Using COBIT and ITIL Framework: Literature Review

Arif Rusman, Reny Nadlifatin, Apol Pribadi Subriadi

799-810

 PDF

DOI : [10.33395/sinkron.v7i3.11476](https://doi.org/10.33395/sinkron.v7i3.11476)

 Citations  0

Abstract views: 190

Internet of Things-based Gas Leak Detection with Alerts Via SMS and Blynk App

Revy Muhammad Yusuf, Ari Purno Wahyu W

811-816

 PDF

DOI : [10.33395/sinkron.v7i3.11477](https://doi.org/10.33395/sinkron.v7i3.11477)

 Citations  0

Abstract views: 130

Perfomance analysis of Naive Bayes method with data weighting

Afdhaluzzikri Afdhaluzzikri, Herman Mawengkang, Opim Salim Sitompul

817-821

 PDF

DOI : [10.33395/sinkron.v7i3.11516](https://doi.org/10.33395/sinkron.v7i3.11516)

 Citations  0

Abstract views: 69

Application of Hot Fit Model to Analyze Information Technology Ams (Academic Management System)

Elmayati Elmayati, Bunga Intan, Deni Nurdiansyah, Aprilsa Milenia, Yogi Kelpin

822-833

 PDF

DOI : [10.33395/sinkron.v7i3.11462](https://doi.org/10.33395/sinkron.v7i3.11462)

 Citations  0

Abstract views: 67

Mobile Positioning Data Based-Application for Medan Tourism Objects

Vedi Yordan, Wilsen Polfan, Khavitanjali Khavitanjali, Paskah Kurniawan Gari, Saut Dohot Siregar

834-845

 PDF

DOI : [10.33395/sinkron.v7i3.11464](https://doi.org/10.33395/sinkron.v7i3.11464)

 Citations  0

Abstract views: 157

Internet of Things-based Agricultural Land Monitoring

Andrew Andrew, Haryono Haryono

846-852

 PDF

DOI : [10.33395/sinkron.v7i3.11416](https://doi.org/10.33395/sinkron.v7i3.11416)

 Citations  0

K-NN Based Air Classification as Indicator of the Index of Air Quality in Palembang

Ahmad Sanmorino, Juhaini Alie, Nining Ariati, Sanza Vittria Wulanda 853-859



DOI : [10.33395/sinkron.v7i3.11469](https://doi.org/10.33395/sinkron.v7i3.11469)

Citations 0

Abstract views: 82

Code Mixing and Switching Used in Breakout Music Program of Net TV

Syahrul Efendi Lubis, Dicky Hendrawan 860-873



DOI : [10.33395/sinkron.v7i3.11472](https://doi.org/10.33395/sinkron.v7i3.11472)

Citations 0

Abstract views: 33

Development of Android-Based Early Reading Learning Media

Estuning Dewi Hapsari, Yoga Prisma Yuda, Yoga Akmal Mubarok 874-882



DOI : [10.33395/sinkron.v7i3.11549](https://doi.org/10.33395/sinkron.v7i3.11549)

Citations 0

Abstract views: 112

Optimization of Transaction Database Design with MySQL and MongoDB

Hani Atun Mumtahana 883-890



DOI : [10.33395/sinkron.v7i3.11528](https://doi.org/10.33395/sinkron.v7i3.11528)

Citations 0

Abstract views: 102

Superior Class to Improve Student Achievement Using the K-Means Algorithm

Yopi Hendro Syahputra, Juniar Hutagalung 891-899



DOI : [10.33395/sinkron.v7i3.11458](https://doi.org/10.33395/sinkron.v7i3.11458)

Citations 0

Abstract views: 160

Sentiment Analysis About COVID-19 Booster Vaccine on Twitter Using Deep Learning

Elly Indrayuni, Achmad Nurhadi 900-905



DOI : [10.33395/sinkron.v7i3.11485](https://doi.org/10.33395/sinkron.v7i3.11485)

Citations 1

Abstract views: 133

The application of online practicum in assisting learning process of database courses using Waterfall method

Andri Suryadi, Unggul Utan Sufandi, Dian Nurdiana 906-914



DOI : [10.33395/sinkron.v7i3.11486](https://doi.org/10.33395/sinkron.v7i3.11486)

Citations 0

Abstract views: 86

Explanatory Data Analysis to Evaluate Keyword Searches for Educational Videos on YouTube with a Machine Learning Approach

Mambang Mambang, Ahmad Hidayat, Johan Wahyudi, Finki Dona Marleny

915-922

 PDF

DOI : [10.33395/sinkron.v7i3.11502](https://doi.org/10.33395/sinkron.v7i3.11502)

 Citations  0

Abstract views: 129

Analyze application Building Management of The Bank Indonesia representative office West Java

Robby Rohman Sukarya, Ade Yuliana, Yudi Taryana, Hizkia Samuel, Ferlin Firdaus Turnip

923-934

 PDF

DOI : [10.33395/sinkron.v7i3.11443](https://doi.org/10.33395/sinkron.v7i3.11443)

 Citations  0

Abstract views: 120

Detection Malaria Base Microscope Digital Image with Convolutional Neural Network

Meida Cahyo Untoro, Muhammad Muttaqin

935-943

 PDF

DOI : [10.33395/sinkron.v7i3.11488](https://doi.org/10.33395/sinkron.v7i3.11488)

 Citations  0

Abstract views: 94

Performance Comparison of K-Means and DBScan Algorithms for Text Clustering Product Reviews

Fitri Andriyani, Yan Puspitarani

944-949

 PDF

DOI : [10.33395/sinkron.v7i3.11569](https://doi.org/10.33395/sinkron.v7i3.11569)

 Citations  0

Abstract views: 62

Case Study: Improved Round Robin Algorithm

Tri Dharma Putra, Rakhmat Purnomo

950-956

 PDF

DOI : [10.33395/sinkron.v7i3.11530](https://doi.org/10.33395/sinkron.v7i3.11530)

 Citations  0

Abstract views: 106

Product Recommendation System Application Using Web-Based Equivalence Class Transformation (Eclat) algorithm

Mochzen Gito Resmi, Teguh Iman Hermanto, Miftah Al Ghozali

957-961

 PDF

DOI : [10.33395/sinkron.v7i3.11454](https://doi.org/10.33395/sinkron.v7i3.11454)

 Citations  0

Abstract views: 79

UI/UX Design of Ineffable Psychological Counseling Mobile Application Using Design Thinking Method

Meriska Defriani, Lintang Nuril Islami, Teguh Iman Hermanto

962-973

 PDF

DOI : [10.33395/sinkron.v7i3.11582](https://doi.org/10.33395/sinkron.v7i3.11582)

 Citations  0

Abstract views: 110

The prototype of IOT-Based weight scale and calorie tracking application

Dita Ayu Chairunnisa, Ahmad Taqwa, Irma Salamah

974-983

DOI : [10.33395/sinkron.v7i3.11580](https://doi.org/10.33395/sinkron.v7i3.11580)

 Citations 0

Abstract views: 64

Forecasting of Health Sector Stock Prices During Covid-19 Pandemic Using Arima And Winter Methods

Tamamudin, Wilda Yulia Rusyida

984-994

 PDF

DOI : [10.33395/sinkron.v7i3.11572](https://doi.org/10.33395/sinkron.v7i3.11572)

 Citations 0

Abstract views: 102

Tiktok Social Media Sentiment Analysis Using the Nave Bayes Classifier Algorithm

Putri Suci Rahmadani, Fenny Chintya Tampubolon, Adelia Nurfattul Jannah, Novia Lucky Halen Hutabarat, Allwin M. Simarmata

995-999

 PDF

DOI : [10.33395/sinkron.v7i3.11579](https://doi.org/10.33395/sinkron.v7i3.11579)

 Citations 0

Abstract views: 86

Application of Huffman Algorithm and Unary Codes for Text File Compression

Bayu Angga Wijaya, Sarwando Siboro, Mahendra Brutu, Yelita Kristiani Lase

1000-1007

 PDF

DOI : [10.33395/sinkron.v7i3.11567](https://doi.org/10.33395/sinkron.v7i3.11567)

 Citations 0

Abstract views: 64

Api Service Infrastructure Using Kubernetes And Terraform Based On Microservices Ngoorder.Id

Azwar Riza Habibi

1008-1016

 PDF

DOI : [10.33395/sinkron.v7i3.11522](https://doi.org/10.33395/sinkron.v7i3.11522)

 Citations 0

Abstract views: 43

Analysis of e-Service quality performance at BKPSDM Lubuklinggau web-based using E-Govqual and Importance Performance Analysis (IPA) methods

Tri Puja Astuti, Elmayati Elmayati, Tri Hasanah

1017-1027

 PDF

DOI : [10.33395/sinkron.v7i3.11444](https://doi.org/10.33395/sinkron.v7i3.11444)

 Citations 0

Abstract views: 82

Comparison of Drug Type Classification Performance Using KNN Algorithm

Febri Aldi, Irohito Nozomi, Soeheri

1028-1034

 PDF

DOI : [10.33395/sinkron.v7i3.11487](https://doi.org/10.33395/sinkron.v7i3.11487)

 Citations 0

Abstract views: 106

Customer Profile Prediction model based on classification through approach Support Vector Machine (SVM)

DOI : [10.33395/sinkron.v7i3.11608](https://doi.org/10.33395/sinkron.v7i3.11608)

Citations 0

Abstract views: 40

UI/UX Design for Language Learning Mobile Application Chob Learn Thai Using the Design Thinking Method

Ayumas Aura Krishnavarty, Meriska Defriani, Teguh Iman Hermanto

1044-1053

DOI : [10.33395/sinkron.v7i3.11585](https://doi.org/10.33395/sinkron.v7i3.11585)

Citations 0

Abstract views: 44

Edge Detection Of Potato Leaf Damage With Laplacian Of Gaussian Algorithm

Mawaddah Harahap, Adrian Christian Wijaya, Samuel Henock
Hasangapon Pasaribu, Giovan Sembiring, Kenjiro Christian Ginting

1054-1058

DOI : [10.33395/sinkron.v7i3.11583](https://doi.org/10.33395/sinkron.v7i3.11583)

Citations 0

Abstract views: 47

Supervised Model for Sentiment Analysis Based on Hotel Review Clusters using RapidMiner

Revin Novian Juliadi, Yan Puspitarani

1059-1066

DOI : [10.33395/sinkron.v7i3.11564](https://doi.org/10.33395/sinkron.v7i3.11564)

Citations 0

Abstract views: 57

Comparative Analysis of SAW and TOPSIS on Best Employee Decision Support System

Arizona Firdonsyah, Budi Warsito, Adi Wibowo

1067-1077

DOI : [10.33395/sinkron.v7i3.11475](https://doi.org/10.33395/sinkron.v7i3.11475)

Citations 0

Abstract views: 58

Analysis of Air Quality Measuring Device Using Internet of Things-Based MQ-135 Sensor

Delima Sitanggang, Chris Samuel Sitompul, Jao Han Suyanto,
Sharen Kumar, Evta Indra

1078-1084

DOI : [10.33395/sinkron.v7i3.11618](https://doi.org/10.33395/sinkron.v7i3.11618)

Citations 0

Abstract views: 61

Classification of Covid-19 Patient Spread Rate By Age and Region With K-Means Algorithm

Adya Zizwan Putra, Ryan Wijaya Pinem, Sehat Silalahi, Fendianu
Gulo, Juan Antonio Adityo Liukhoto

1085-1089

DOI : [10.33395/sinkron.v7i3.11603](https://doi.org/10.33395/sinkron.v7i3.11603)

Citations 0

Abstract views: 60

E-government in the public health sector: kansei engineering method for redesigning website

Candra Zonyfar, Maharina

1990-1997



DOI : [10.33395/sinkron.v7i3.11648](https://doi.org/10.33395/sinkron.v7i3.11648)

Citations 0

Abstract views: 69

Combination Grouping Techniques and Association Rules For Marketing Analysis based Customer Segmentation

Amir Mahmud Husein, Dodi Setiawan, Andika Rahmad Kolose Sumangunsong, Andreas Simatupang, Shela Aura Yasmin

1998-2007



DOI : [10.33395/sinkron.v7i3.11571](https://doi.org/10.33395/sinkron.v7i3.11571)

Citations 0

Abstract views: 47

Rice Plants Disease Identification Using Deep Learning with Convolutional Neural Network Method

Sunu Jatmika, Danang Eka Saputra

2008-2016



DOI : [10.33395/sinkron.v7i3.11540](https://doi.org/10.33395/sinkron.v7i3.11540)

Citations 0

Abstract views: 45

Implementation of End User Computing Satisfaction of Sayang Bunda Application

Harsono Harsono, Hargianti Dini Iswandhari, Rinayati Rinayati, Sigit Sugiharto

2017-2023



DOI : [10.33395/sinkron.v7i3.11646](https://doi.org/10.33395/sinkron.v7i3.11646)

Citations 0

Abstract views: 91

Weighting comparison analysis ROC and Full consistency Method (FUCOM) on MOORA in decision making

Nanda Dimas Prayoga, Muhammad Zarlis, Syahril Efendi

2024-2032



DOI : [10.33395/sinkron.v7i3.11643](https://doi.org/10.33395/sinkron.v7i3.11643)

Citations 0

Abstract views: 94

The Maximum Degree of an Exponentially Distributed Random Graph

Desti Alannora Harahap, Saib Suwilo, Mardiningsih

2034-2037



DOI : [10.33395/sinkron.v7i3.11602](https://doi.org/10.33395/sinkron.v7i3.11602)

Citations 0

Abstract views: 39

A Decision Model For Tackling Logistic Optimization Problem in Online Business Environment

Syahraini, Syahril Efendi, Syahril Sitorus

2038-2043



DOI : [10.33395/sinkron.v7i3.11593](https://doi.org/10.33395/sinkron.v7i3.11593)

Citations 0

Abstract views: 25

THE CYCLE LENGTH OF SPARSE REGULAR GRAPH

Claudia Christy, Saib Suwilo, Tulus

2044-2047

 [DOWNLOAD PDF](#)

DOI : [10.33395/sinkron.v7i3.11595](https://doi.org/10.33395/sinkron.v7i3.11595)

 Citations  0

Abstract views: 30

Using the Deep Constrained Clustering Approach to Create a Business Profile

Abdul Latif, Sutarman, Open Damius

2045-2051

 [DOWNLOAD PDF](#)

DOI : [10.33395/sinkron.v7i3.11594](https://doi.org/10.33395/sinkron.v7i3.11594)

 Citations  0

Abstract views: 20

Development of The Steepest Descent Method for Unconstrained Optimization of Nonlinear Function

Zakiah Evada, Tulus, Elvina Herawati

2052-2060

 [DOWNLOAD PDF](#)

DOI : [10.33395/sinkron.v7i3.11596](https://doi.org/10.33395/sinkron.v7i3.11596)

 Citations  0

Abstract views: 24

Decision Model for Unplanned ICU Transfer in a Hospital with Association Rule Learning

Nanda Lestari, Sawaluddin, Parapat Gultom

2061-2067

 [DOWNLOAD PDF](#)

DOI : [10.33395/sinkron.v7i3.11599](https://doi.org/10.33395/sinkron.v7i3.11599)

 Citations  0

Abstract views: 30

Data-Driven Decision Making In Large Scale Production Planning

Dea Christefa, Herman Mawengkang; Muhammad Zarlis

2068-2071

 [DOWNLOAD PDF](#)

DOI : [10.33395/sinkron.v7i3.11600](https://doi.org/10.33395/sinkron.v7i3.11600)

 Citations  0

Abstract views: 23

Optimization Model of Location Routing Problem for Disaster Relief Distribution

Fitri Rezky Hamzani, Syahriol Sitorus, Syahril Efendi

2072-2079

 [DOWNLOAD PDF](#)

DOI : [10.33395/sinkron.v7i3.11604](https://doi.org/10.33395/sinkron.v7i3.11604)

 Citations  0

Abstract views: 36

Analysis of Data classification accuracy using ANFIS algorithm modification with K-Medoids clustering

Desy Milbina Br Bangun, Syahril Efendi, Rahmat W Sembiring

2080-2088

 [DOWNLOAD PDF](#)

DOI : [10.33395/sinkron.v7i3.11610](https://doi.org/10.33395/sinkron.v7i3.11610)

 Citations  0

Abstract views: 40

OPTIMIZATION MODEL IN CLUSTERING THE HAZARD ZONE AFTER AN EARTHQUAKE DISASTER

[DOWNLOAD PDF](#)DOI : [10.33395/sinkron.v7i3.11598](https://doi.org/10.33395/sinkron.v7i3.11598) Citations 0

Abstract views: 20

Graph-Based Modeling for Optimal Strategy in Online Buying

Ruffiana Tarigan, Mardiningsih, Saib Suwilo

2096-2102

[DOWNLOAD PDF](#)DOI : [10.33395/sinkron.v7i3.11601](https://doi.org/10.33395/sinkron.v7i3.11601) Citations 0

Abstract views: 26

Support Vector Machine Using A Classification Algorithm

Nurul Huda Ovirianti, Muhammad Zarlis, Herman Mawengkang

2103-2107

[DOWNLOAD PDF](#)DOI : [10.33395/sinkron.v7i3.11597](https://doi.org/10.33395/sinkron.v7i3.11597) Citations 0

Abstract views: 36

Discrete Optimization Model in Constructing Optimal Decision Tree

Nurul Azri Azwar, Parapat Gultom, Sawaluddin

2108-2115

[DOWNLOAD PDF](#)DOI : [10.33395/sinkron.v7i3.11592](https://doi.org/10.33395/sinkron.v7i3.11592) Citations 0

Abstract views: 33

Cryptography Application on RGB Overlapping Block Based PVD Using AES

Andi Marwan Elhanafi, Tommy, Rosyidah Siregar, Manovri Yeni, Shahira An-Nissa

2116-2124

[DOWNLOAD PDF](#)DOI : [10.33395/sinkron.v7i3.11685](https://doi.org/10.33395/sinkron.v7i3.11685) Citations ?

Abstract views: 32

Early detection model of normal and abnormal blood flow using pulse Oximetry non-invasive of pregnant heart rate

Yuli Wahyuni, Cantika Zaddana, Aries Maesya, Ahmad Izzuddin

2125-2133

[PDF DOWNLOAD](#)DOI : [10.33395/sinkron.v7i3.11758](https://doi.org/10.33395/sinkron.v7i3.11758) Citations ?

Abstract views: 23

Application of with C4.5 algorithm to measure the level of student satisfaction with student services

Bosker Sinaga, Jonson Manurung, Nera Mayana Br Tarigan, Siska Feronika Br Sitepu, Nadela Barus

2134-2143

[? PDF DOWNLOAD](#)DOI : [10.33395/sinkron.v7i3.11774](https://doi.org/10.33395/sinkron.v7i3.11774) Citations

Abstract views: 3

Decision support system for determination Head of Study Program with analytic network process method

Nera Mayana Br Tarigan, Meman Marpaung, Gayatri Rangita, Maduri

[PDF DOWNLOAD](#)DOI : [10.33395/sinkron.v7i3.11776](https://doi.org/10.33395/sinkron.v7i3.11776)

Optimization of Transaction Database Design with MySQL and MongoDB

Hani Atun Mumtahana

Universitas PGRI Madiun, Indonesia

hanimumtahana@unipma.ac.id

Submitted : July 6, 2022 | **Accepted** : July 11, 2022 | **Published** : July 14, 2022

Abstract: Database is one of the most important parts in running an application. Databases can be used to store data. However, in running an application, the selection of an appropriate database needs to be considered, so that the resulting information can be in accordance with user needs. In developing applications, more people use RDBMS design which has a very structured nature, but technological developments have introduced NoSQL as a database development method. In this research, MySQL and MongoDB databases will be tested in transaction processing. The tests carried out include comparisons of database designs, comparisons of defining table structures, comparisons of running time in the insert, update, delete, search processes. The test results show that MongoDB has a simpler table description structure than MySQL. The results of the running time test show that MongoDB has a faster running time difference than MySQL. In the insert process there is a time difference of 0.005625 sec, update 0.001688 sec, delete 0.00075 sec and search 0.006875 sec.

Keywords: database, MySQL, MongoDB, NoSQL, RDBMS

INTRODUCTION

Database is a collection of data that is integrated and processed to produce information that is useful for its users (Nahrin et al., 2017). Utilization of databases in application development is a very important part. Without a database an application will not be able to produce the information needed by the user.

The development of Information technology and Information Systems requires every company or organization that uses database services to be able to follow market trends and competition. In addition, the very high investment value for technology-based projects is also a consideration for management (*Masa Depan Teknologi Basis Data | Hypernet*, 2018). Database development began with the Integrated Data Store generation in 1960. In 1970, it was introduced to the relational database generation and became the most widely used database model by application developers to date (Heal, 2016). The generation of relational databases (RDB) developed in tandem with the use of the SQL database language (Structured Query Language).

The growth in the data needs of every company or organization in presenting information is getting higher, giving rise to the term 'Big Data'. 'Big Data' technology is able to provide large volumes of data, high speed, real-time and large data storage capacity (Ramzan et al., 2019). As data needs grow, database users are starting to turn to unstructured data processing. In addition, the emergence of the need for 'cloud storage' which presents data in real time is no longer able to be handled by the RDB generation or currently better known as SQL. Big Data has structured, semi-structured and unstructured data patterns so that it is able to process and store data up to 1TB (Terabyte) in size, while RDB is only capable of storing data in the Gigabyte range.

NoSQL (non-relational database) began to emerge as the right choice as an alternative to unstructured data storage (Moniruzzaman & Hossain, 2013). Currently, web application developers prefer NoSQL, because NoSQL is made to support modern applications with a more specific data model and has a flexible schema.

In making the database design, several stages will be passed so that it can produce a database implementation that is able to produce valid information. Several stages that must be carried out are analysis of data requirements, conceptual database design, transformation of database design on the DBMS and query execution. In this study, a comparison of database design using MySQL and MongoDB will be carried out.

The need for data transactions in the current digital era is a very crucial thing to prove the performance of a business/industry. Service and delivery of information that is fast, efficient and precise is a high selling point. The trials carried out (Bhaswara et al., 2017)(Halimi et al., 2021)(Deari et al., 2018)(Györfi et al., 2022) in conducting CRUD testing, NoSQL with MongoDB has better performance compared to RDBMS databases.

*name of corresponding author



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

In this study, a comparison of the MySQL and MongoDB database design stages will be carried out in a sales transaction. The purpose of this study is to compare the design stages in database creation, so that conclusions can be drawn about the use of the right database used in the process and scale of transactions that will be implemented by a business/industry.

LITERATURE REVIEW

Database

In its development, the database is one of the most important parts in processing data into information. Database is defined as a collection of records that are integrated with each other (Connolly & Begg, 2015)(Mumtahana, 2021)(Raut Professor, 2017). Database is a procedure for processing data into information that can be utilized by users according to their needs. The information is obtained from the relationships that occur between data in a particular community (Susilo, 2017).

There are several purposes of using the database, including:

1. Facilitate data storage even on data that has a very large value.
2. Reduce data redundancy
3. Maintain data accuracy
4. Accommodate data so that the availability of data needed by users can be available
5. Maintain data security
6. Provide user sharing
7. Provide complete data

Database Management System is an application software that is used to manipulate data, data management and access control in a database (Susena et al., 2015)(Connolly & Begg, 2015). There are several DBMS that are widely used, including Oracle, MySQL, Ms. Access, SQL Server, PostgreSQL, SQL Lite, Teradata and more.

Database System is a collection of databases that have mutual relationships and several applications that are integrated with each other so as to produce information (Putra et al., 2020). Several components of the Database System are (1) Hardware, (2) Operating System, (3) Database, (4) DBMS, (5) User and (6) Application.

The database is used to generate information from a collection of related data by giving the Query command. Queries are used to manipulate data so that the information can be presented in real time. In addition, databases are needed by various groups, for example, businesses, academics, organizations, governments, companies and even small agencies/organizations that want to present information in real time.

Relationship Database Management System (RDBMS)

Relationship Database Management System (RDBMS) which uses the principle of relations between tables to generate information. RDBMS is a database that is based on the concept of relationship which has a basic mathematical theory and relationship theory (Ramzan et al., 2019). Every existing data is stored in a table, while to produce a good data integration, there is a relationship that occurs between tables in a particular community. Meanwhile, to perform data manipulation, RDBMS uses SQL which is written in a structured manner .

Not Only Structure Query Language (NoSQL)

Not Only SQL or often known as NoSQL is a database design that was created with the aim of modeling special data that is more flexible and schematic and does not use SQL to manipulate data (Moniruzzaman & Hossain, 2013)(Palanisamy & Suvithavani, 2020). NoSQL databases do not apply the ACID (atomicity, consistency, Isolation, durability) rules that are applied to the RDBMS (Nance et al., 2013).

METHOD

In this study, a comparison of MySQL and MongoDB database designs will be carried out in the case of transactions. The designs that will be made are the database structure design, table structure design and database performance in the CRUD (Create, Read, Update, Delete) process. The steps in this research are as follows:




Fig. 1. Research Steps

Figure 1 shows the steps taken in this research. The first step of the research is to analyze the data and information needs of a transaction. In the next step, create a conceptual database design in the form of a table/document structure design and a relation/join structure between tables. After the conceptual design is made,

*name of corresponding author



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

the next step is to transform MySQL and NoSQL. The next stage is to test the CRUD process (Create, Read, Update, Delete) so that it will produce recommendations for the appropriate database to use.

RESULT

In this study, a sample of data/information needs from sales transactions at a basic food store will be carried out. This research has several results, namely:

1. Analysis of sales transaction data needs

Processing data into information in the sales transaction process results in an analysis of data and information needs in the form of:

a. Information needs as follows:

- 1) Data of goods to be sold
- 2) Transaction data that occurs in the sales process

b. Data requirements are as follows:

- 1) Goods
- 2) Transaction
- 3) Detail_transaction

2. Table/Document Structure Design

In this section, a conceptual table/document structure design will be made on MySQL and MongoDB. In MySQL the data/information needs can be stored or manipulated in a clear table structure of data types, character length and selection of key attributes. However, MongoDB stores data/information needs in the form of a more flexible document. The description of the needs of the table structure in MySQL is as follows:

a. Produc

Table 1. structure produc

Kode_barang	Char	6	Primary Key
Nama_barang	Varchar	30	-
Harga_barang	Money	-	-
Qty	Int	-	-

In Table 1 is a description of the structure of information needs about produc.

b. Transaction

Table 2. structure transaction

no_transaksi	Char	6	Primary Key
no_detail_tr	Int	-	Foreign_key
Total_pembayaran	Money	-	-

In table 2 is a description of structure of information needs about transaction.

c. Detail_transaction

Table 3. structure detail_transaction

no_detail_tr	Int	-	Primary_key
Kode_barang	Char	6	Foreign Key
Jum_beli	Int	-	-
Total	Money	-	-

In table 2 is a description of structure of information needs about detail_transaction.

Meanwhile, data/information storage with MongoDB uses the JSON concept, where data/information is stored in the form of documents that are more dynamic and flexible in the concept of connecting one data to another.

```
db.barang.insertone ({
  _kode_barang : "brg001",
  nama_barang : "kerupuk",
  qty : 24,
  harga : 5000
})
```

Fig. 2. Conceptual design of a document in MongoDB.

*name of corresponding author

Figure 2 is a conceptual design of a document in MongoDB. mongoDb has a more flexible design independent of defining data types and required character lengths. This makes data storage on MongoDB adaptable to information needs.

3. Relationship/Join

The relation in MySQL and MongoDB conceptually has the same understanding. Where the relationship is to connect data dependencies from one table/document with other tables/documents. The following describes the relationship of the three tables in MySQL.




Fig 3. Relational design in RDBMS

The relationship design in Figure 3. above illustrates the relationship of 3 tables that are mutually dependent on the delivery of information. Each table has one attribute that is selected to be the primary key attribute (Primary Key / PK). In the Items table, the primary key is item_code. From the picture above, the item_code which becomes a PK in the goods table appears as a Foreign Key (FK) in the transaction_detail table. This shows that there is a need for dependency on the PK attribute to become the FK attribute from a table that is related to each other. While the concept of relations in MongoDB is explained in the image below:




Fig. 4. JOIN concept in MongoDB

The form of a relationship in MongoDB can be shown by the presence of the same data in a transaction document that will be combined with other documents. The term relation between tables in MongoDB is often referred to as a join collection by using a function in MongoDB so that it is able to generate the data/information needed. In making the join concept in MongoDB, it is not required to describe the column name/attribute FK must be the same as the PK attribute in the master table. In the example of the join concept in Figure 4 there is a PK, namely _kode_barang, but in the transaction_details table the code is written, but with the same details as the data in the previous table. This proves that the dynamic nature of the MongoDB database is more flexible than the RDBMS.

*name of corresponding author



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

4. Implementation MySQL

This section will explain the implementation of the database design results using MySQL and MongoDB. The implementations applied are: Create, Insert, and select.

```
MariaDB [coba]> create table barang(  
-> kode_barang char(6),  
-> nama_barang varchar(30),  
-> harga int,  
-> qty int,  
-> primarykey (kode_barang)  
-> );
```

Fig 5. create table barang

Figure 5 is the result of implementing the goods create table. In the goods table there are 4 columns that have data type criteria and character length according to information needs.

```
MariaDB [coba]> insert into barang values`  
-> ("brg003","emping melinjo",45000,24),  
-> ("brg004","beras pulen",12000,60),  
-> ("brg005","gula pasir",15000,60),  
-> ("brg006","gula merah kecil",5600,70),  
-> ("brg007","gula pasir 50gr",9000,67),  
-> ("brg008","Kopi Luwak 250gr",12500,65);  
Query OK, 6 rows affected (0.11 sec)  
Records: 6 Duplicates: 0 Warnings: 0
```

Fig. 6. Insert Items table data

After creating the table structure, the next step is to add data/records to the table with the insert command. In Figure 6, insert data in the goods table with a total of 6 records. It can be seen that the running time required for MySQL to insert data is 6 records with a time of 0.11sec.

From the two experiments, it can be concluded that the RDBMS query using the MySQL DBMS is a structured query. Each query that is written must be adapted to the structure of the SQL language.

5. Implementation MongoDB

In this section, we will test the implementation of the database design results using MongoDB. The following will be implemented on MongoDB.

```
> db.barang.insert(  
... {kode:"brg003",  
... nama:"gula 500gr",  
... harga:8000,  
... qty:12},  
... {kode:"brg004",  
... nama:"sambel pecel",  
... harga:7000,  
... qty:24};  
... )
```

Fig.7 Implementation of goods documents

In MongoDB to create, inserting a document is technically more dynamic and flexible than RDBMS. Figure 7 is an implementation for creating goods documents. From the picture it can be seen, the description to create is not as complicated as MySQL. Item documents are described without having to define their structure first. When the document is created, it can perform the insert stage.

```
> db.barang.find().pretty()  
{  
  "_id" : ObjectId("62622453d889c71a624791b1"),  
  "kode_brg" : "brg001",  
  "nama_brg" : "kerupuk kulit",  
  "harga" : 5000,  
  "qty" : 20  
}  
{  
  "_id" : ObjectId("62622607d889c71a624791b2"),  
  "kode" : "brg002",  
  "nama" : "gula 1kg",  
  "qty" : 12,  
  "harga" : 15000  
}  
{  
  "_id" : ObjectId("62622854d889c71a624791b3"),  
  "kode" : "brg003",  
  "nama" : "gula 500gr",  
  "harga" : 8000,  
  "qty" : 12  
}
```

Fig. 8. Display of data search

*name of corresponding author



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

Figure 8 shows the view of the data search on MongoDB. From the picture it can be seen, the index for each data is indicated by the `_id` that is owned by each object. The ObjectId will be used as a pointer when a JOIN occurs.

6. Testing

In research (Bhaswara et al., 2017), they compare the performance, flexibility and scalability of the MongoDB and MySQL DBMS. The test results show that each DBMS has its own advantages. MySQL performance value in operating JOIN is better than MongoDB.

Meanwhile, MongoDB has a good performance value in managing the CRUD process. Table 2. shows the results of performance testing of MySQL and MongoDB.

Table 4. MySQL and MongoDB Performance Test Results

	MySQL				MongoDB			
Data	25	50	75	100	25	50	75	100
Insert	0.045	0.080	0.096	0.112	0.005	0.013	0.027	0.045
Update	0.015	0.037	0.059	0.076	0.002	0.005	0.008	0.014
Delete	0.013	0.025	0.047	0.077	0.003	0.005	0.007	0.009
Search	0.035	0.055	0.077	0.096	0.012	0.022	0.045	0.063

Table 4. shows the difference in run time between MySQL and MongoDB in the insert, update, delete and search processes. The test was carried out on multiples of the first 25 data, 50 data, 75 data and 100 data. The comparison of test results is described in the graphic image below:




Fig. 9. Comparison of insert times




Fig. 10. Comparison of update times




Fig. 11. Comparison of delete times

Figure 9 above is the result of a comparison of the insert test data on MySQL and MongoDB. Figure 10 above is the result of a comparison of the trials on the data update command. Figure 11 above is the result of a comparison of the trials on the delete command.

*name of corresponding author



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.




Fig. 12. Comparison of Search times




Fig. 13. Performance comparison of MySQL and MongoDB

Figure 12 above illustrates the comparison of the test results on the search data command. Data search is carried out in a simple data search process, data search by applying JOIN, and data search to perform transactions using aggregation functions. From the test results on each of the commands mentioned above, the average running time in each execution results is obtained as shown in Figure 13.

The test results above show that MongoDB has better performance than MySQL. In the application of the insert command between MongoDB and MySQL there is a time difference of 0.005625 sec. the update command has a time difference of 0.001688 sec, delete has a time difference of 0.00075 sec and search has a time difference of 0.006875 sec. From the test results, JOIN MongoDB requires a command that combines several functions, so it requires a longer running time, while in MySQL the JOIN table command is simpler by only providing the functions needed to process data.

DISCUSSIONS

From the results of the trials that have been carried out, it can be formulated several recommendations for selecting a database for processing transaction data. The recommendations given are as follows:

- In the RDBMS database design, it is necessary to describe the table structure according to the information needs. So that in describing the structure of the database, the RDBMS has a structured and inflexible nature.
- In NoSQL database and table design is more flexible and there is no need for a description of the table structure as in RDBMS.
- For transactions that are dynamic and require bid data, a NoSQL database design can be used, while for more complex transaction data storage, an RDBMS database design can be used because with an RDBMS, the processing of transaction data can be carried out in a structured manner and is simpler in using commands.
- In data processing, NoSQL databases have faster access times than RDBMS databases.

CONCLUSION

From the results of research conducted to assess the optimization of the selection of RDBMS (MySQL) and NoSQL (MongoDB) databases in the transaction process, it shows that MongoDB has a faster running time than MySQL. In addition, in describing the table structure, MongoDB has simpler commands than MySQL. However, in processing transactions that are more complex, MySQL has better performance, because the commands in MongoDB require writing more complex commands by implementing functions in it.

REFERENCES

- Bhaswara, F. A., Sarno, R., & Sunaryono, D. (2017). Perbandingan Kemampuan Database NoSQL dan SQL dalam Kasus ERP Retail. *Jurnal Teknik ITS*, 6(2), 510–514. <https://doi.org/10.12962/j23373539.v6i2.24031>
- Connolly, T., & Begg, C. (2015). *Database Systems*.
- Deari, R., Zenuni, X., Ajdari, J., Ismaili, F., & Raufi, B. (2018). Analysis and comparison of document-based databases with relational databases: MongoDB vs MySQL. *2018 International Conference on Information Technologies, InfoTech 2018 - Proceedings, September*, 20–21. <https://doi.org/10.1109/InfoTech.2018.8510719>
- Györödi, C. A., Dumșe-Burescu, D. V., Zmaranda, D. R., & Györödi, R. Ș. (2022). A Comparative Study of MongoDB and Document-Based MySQL for Big Data Application Data Management. *Big Data and Cognitive Computing*, 6(2), 49. <https://doi.org/10.3390/bdcc6020049>

*name of corresponding author



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

- Halimi, A., Sudarmanto, A., Utami, E., & Kusnawi. (2021). ANALISIS PERBANDINGAN KINERJA WAKTU RESPON MYSQL 8.0 DAN NOSQL MONGODB MENGGUNAKAN RESTAPI NODEJS PADA STUDI KASUS KELAS ONLINE. *Informatika Wicida*, 10(1), 26–33.
- Heal. (2016). *Perkembangan Database – Heal ur program*. Syifasalsabylla.Wordpress.Com.
- Masa Depan Teknologi Basis Data | Hypernet. (2018). Hypernet.Co.Id.
- Moniruzzaman, A. B. M., & Hossain, S. A. (2013). *NoSQL Database: New Era of Databases for Big data Analytics - Classification, Characteristics and Comparison*.
- Mumtahana, H. A. (2021). Basis Data (Teori dan Praktek dengan Query SQL). In *Unipma Pers* (Vol. 1). https://www.academia.edu/8558159/Basis_Data
- Nahrin, H., Kurniadi, W., & Kasma, S. (2017). OPTIMASI JOIN QUERY PADA BASIS DATA (STUDI KASUS: BASIS DATA SISTEM INFORMASI MANAJEMEN UNIVERSITAS COKROAMINOTO PALOPO). *PROSIDING SEMANTIK 2017*, 209–215.
- Nance, C., Losser, T., Iype, R., & Harmon, G. (2013). NOSQL VS RDBMS-WHY THERE IS ROOM FOR BOTH. *Proceedings of the Southern Association for Information System Conference*, 111–116.
- Palanisamy, S., & Suvithavani, P. (2020). A survey on RDBMS and NoSQL Databases MySQL vs MongoDB. *2020 International Conference on Computer Communication and Informatics, ICCCI 2020*. <https://doi.org/10.1109/ICCCI48352.2020.9104047>
- Putra, R. A., Alauddin, M. F., Alam, I. N., & Yaqin, M. A. (2020). Pengembangan Arsitektur Data Sistem Informasi Sekolah. *Jurasik (Jurnal Riset Sistem Informasi Dan Teknik Informatika)*, 5(2), 175. <https://doi.org/10.30645/jurasik.v5i2.203>
- Ramzan, S., Bajwa, I. S., Ramzan, B., & Anwar, W. (2019). Intelligent Data Engineering for Migration to NoSQL Based Secure Environments. *IEEE Access*. <https://doi.org/10.1109/ACCESS.2019.2916912>
- Raut Professor, A. B. (2017). NOSQL Database and Its Comparison with RDBMS. *International Journal of Computational Intelligence Research*, 13(7), 1645–1651. <http://www.ripublication.com>
- Susena, E., Utami, E., & Sunyoto, A. (2015). PERENCANAAN STRATEGIS SISTEM INFORMASI SMART CAMPUS UNTUK MENINGKATKAN PELAYANAN DI POLITEKNIK INDONUSA SURAKARTA. In *Jurnal Sainstech Politeknik Indonusa Surakarta* (Vol. 1).
- Susilo, G. (2017). KEAMANAN BASIS DATA PADA SISTEM INFORMASI DI ERA GLOBAL. *JURNAL TRANSFORMASI*, 12(2).

*name of corresponding author



This is an Creative Commons License This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.